


Data sheet

Commercial Art.No.: 56.202.5055.0

Duo-modular terminal WTP 1,5 D1/2

Feed-through terminal with push in connection for mounting on TS 35, nominal cross section: 1,5 mm², Width: 3,5 mm, Color: grey



Commercial Art.No.	56.202.5055.0
EAN	4049088388415
Order Unit	100

Technical data

General

Nominal cross section	1.5 mm ²
Color	Grey
Number of levels	1
Number of clamp positions per level	3
Width/grid dimension	3.5 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0

Classification

ECLASS 11	
ECLASS 8.1	27141120
ETIM 7.0	EC000897
ETIM 6.0	EC000897
ETIM 5.0	EC000897
ETIM 4.0	EC000897

Technical data

Rated current	17.5 A
Rated voltage	500 V
Rated impulse voltage	6 kV
Pollution degree	3
Type of insulation material	Thermoplastic
Length	55.9 mm
Width	3.5 mm
Height	31.2 mm

Connection Data

Connection type	Plug-in connection
Connection type 1	Plug-in connection


Minimum cross section solid	0.14 mm ²
Maximum cross section solid	2.5 mm ²
Minimum cross section fine stranded	0.14 mm ²
Maximum cross section fine stranded	1.5 mm ²
Wire strip length	8 mm

Product compliance

REACH-SVHC conformity status	Compliant
------------------------------	-----------

Accessories

Commercial Art.No.:	Article-type description:	Description:
Z7.284.7027.0	Jumper bar IVB WTP 1,5- 2	Cross connector, insulated for DIN rail terminal blocks type WTP 1,5, 2-pole
Z7.284.7227.0	Jumper bar IVB WTP 1,5- 4	Cross connector, insulated for DIN rail terminal blocks type WTP 1,5, 4-pole
Z7.284.7327.0	Jumper bar IVB WTP 1,5- 5	Cross connector, insulated for DIN rail terminal blocks type WTP 1,5, 5-pole
Z7.284.7427.0	Jumper bar IVB WTP 1,5- 10	Cross connector, insulated for DIN rail terminal blocks type WTP 1,5, 10-pole
04.344.2655.0	Warning cover AD WTP 1,5	Cover with warning symbol for DIN rail terminal blocks type WTP 1,5..., color: yellow
07.313.4555.0	End plate AP WTP 1,5 D1/2	End plate for DIN rail terminal blocks type WTP 1,5 D1/2..., color: grey
Z7.284.7127.0	Jumper bar IVB WTP 1,5- 3	Cross connector, insulated for DIN rail terminal blocks type WTP 1,5, 3-pole
07.313.5555.0	Partition TW WTP 1,5 D1/2 D2/2 E	Partition for DIN rail terminal blocks type WTP D1/2 E... and WTP D2/2 E..., color: grey
98.300.0000.0	Mounting rail TS 35x7,5 UNPERF - l:2000mm	Mounting rail TS 35, unslotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1000.0	Mounting rail TS 35x7,5 PERF 15mm - l:2000mm	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1800.0	Mounting rail TS 35x7,5 PERF 18mm - l:2000mm	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1900.0	Mounting rail TS 35x7,5 PERF 25mm - l:2000mm	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0000.0	Mounting rail TS 35x15-2,3 UNPERF - l:2000mm	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0004.0	Mounting rail TS 35x15-2,3 UNPERF FZN - l:2000mm	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel, hot galvanized
98.370.0000.0	Mounting rail TS 35x15 UNPERF - l:2000mm	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.370.1000.0	Mounting rail TS 35x15 PERF 15mm - l:2000mm	Mounting rail TS 35, slotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.380.0000.0	Mounting rail TS 35x15-2,3 UNPERF CU - l:2000mm	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material E copper
04.403.0056.0	Marking tags for DIN rail terminal blocks WMP 3,5 SI2KTB3590DW	Plate with marking tags for DIN rail terminal blocks with a width of 3.5mm, 75 tags per plate, tag size: 3x9.1mm, color: white, unmarked, markable with Wieprint printing-system



Teilenummer / part number	Farbe / color	Type	Weitere Daten siehe KATALOG oder eKatalog additional data see CATALOG or eCATALOG					www.wieland-electric.com eshop.wieland-electric.com						
56.202.5055.0	kieselgrau / pebble grey	WTP 1,5 D1/2	Tolerierung Size ISO 14405 Ⓔ / Tolerance system Size ISO 14405 Ⓔ. (This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances).					ja/yes ☒ Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten. Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!						
56.202.5055.1	schwarz / black	WTP 1,5 D1/2 black	Freitoleranz nach General tolerance			CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed			1. Verwendung: First Use:		Blatt: Sheet: 1 von of 1			
56.202.5055.2	weiß / white	WTP 1,5 D1/2 white				Werkstoff / Material			Tag/Date	Name		T	Zeichnung Nr. / Drawing No. 56.202.5055.0 01K	Index
56.202.5055.4	oxidrot / oxide red	WTP 1,5 D1/2 oxide red			Maßstab / Scale			gezeichnet drawn	20.01.2017	Hennemann V.				
56.202.5055.5	tomatenrot / tomato red	WTP 1,5 D1/2 red			2:1			geprüft checked				Maße in mm / Dimensions are in mm		
56.202.5055.6	lichtblau / light blue	WTP 1,5 D1/2 blue				Vol.. --- mm ³	Dfl./Surf. --- mm ²	Ersatz für / Replacement for:						
56.202.5055.7	grün / green	WTP 1,5 D1/2 green						Type	Benennung/Title					
56.202.5055.8	gelb / yellow	WTP 1,5 D1/2 yellow						see table	DURCHGANGSKLEMME					
56.202.5055.9	orange / orange	WTP 1,5 D1/2 orange												
			Index	Datum / Blatt Date / Sheet				www.wieland-electric.com		push in terminal				
			Änderung / Revision											